



Smart Slim™ AM

AM deactivator

The Smart Slim™ AM efficiently deactivates
the AM tags affixed to merchandise



Smart Slim™ AM

AM deactivator

Smart Slim™ is an EAS label deactivator designed to be recessed into checkouts, seamlessly integrating with the store's furniture.

It utilizes Smart Deactivator Electronic, which can be connected to up to two antennas, reducing costs in cases of side-by-side checkouts.

Compatibility: compatible with all 58 kHz adhesive labels from international standard manufacturers.



As part of the EASi system (Intelligent EAS), this equipment can be connected to the internet, allowing remote access, data generation and integration with other technologies.

Benefits:

- Shrinkage reduction
- Compatible with all 58 kHz systems for versatile use
- Label deactivation range to 15 cm
- Audible and visual alerts upon detection and deactivation.
- Deactivation speed of up to 0.25 m/s
- Adjustable locally or over the internet via a Windows application.
- Housed in a compact casing for a minimal footprint
- A single electronics unit for up to two antennas (in the Dual model).
- Comparable alternative to the Sensormatic SlimPad
- And much more!

Applications:

- Loss prevention at retail stores

Deactivator Smart Slim™ AM



Controller





Gateway EAS Solution

Manufactured / developed by Inwave Technologies

Distributed by APTQ in Canada


Smart Slim™ AM

Dimensions




Deactivator Controller Smart Single:

One deactivator antenna per controller.



Deactivator Controller Smart Dual:

Up to two deactivator antennas on the same controller, reducing costs and optimizing the installation and maintenance process.



Smart Slim™ AM

Specifications

Features

Visual and audio feedback	●	Deactivation speed of up to 0.25 m/s	●
A single controller for up to two antennas	●	Housed in a compact casing	●
Functions as a Deactivator and/or Detector	●	Adjustable via internet	○

● Included ○ Optional

Deactivation range

Deactivation range Up to 15 cm

Technical specs

Category	Brand new
Width	279 mm (11 inches)
Height	76 mm (3 inches)
Length	864 mm (34 inches)
Weight	2.6 kg
Power	120 V (necessary power cable included)
Operating temperature	0°C to 50°C

Product reference

SKU	AM-SMSL-N
-----	-----------

AM specification

Operating frequency	58 kHz
Supported tags	All AM adhesive labels from international standard manufacturers.

Package contains

1x Smart Slim™ AM
1x Controller

With over 25 years of experience, APTQ specializes in electronic systems in Canada. Our team offers a range of quality products for loss prevention, inventory management, and cross-selling. We provide the best technologies available on the market, combined with our recognized expertise in the field, to ensure an optimal experience in every respect.

1 866-659-7880
info@aptq.ca
www.aptq.ca

